#### Message

From: Wilson, Jennifer [wilson.jenniferA@epa.gov]

**Sent**: 11/26/2019 2:16:57 PM

To: Reinhart, Roger [Reinhart.Roger@epa.gov]; Rowsey, Kevin [rowsey.kevin@epa.gov]

Subject: RE: Discuss DuPont

Sensitivity: Private

Hi Roger,

Thank you for the information. I will let Ohio know. I will call you later.

Jenny

From: Reinhart, Roger < Reinhart. Roger @epa.gov> Sent: Tuesday, November 26, 2019 7:16 AM

To: Wilson, Jennifer <wilson.jenniferA@epa.gov>; Rowsey, Kevin <rowsey.kevin@epa.gov>

Subject: RE: Discuss DuPont

Sensitivity: Private

Good morning Jenny and Kevin,

## Ex. 5 Deliberative Process (DP)

#### Roger

https://ohiovalleyresource.org/2019/09/27/ohio-to-test-for-toxic-pfas-chemicals-in-drinking-water/? ga=2.79496660.1148379229.1574772016-1637180344.1574772015

From: Wilson, Jennifer <wilson.jennifer A@epa.gov>

Sent: Monday, November 25, 2019 4:29 PM

To: Rowsey, Kevin < rowsey.kevin@epa.gov >; Reinhart, Roger < Reinhart.Roger@epa.gov >

Subject: RE: Discuss DuPont

Sensitivity: Private

Enforcement confidential and deliberative. Do not release for FOIAs or discovery.

Hi Roger and Kevin,

### Ex. 5 Deliberative Process (DP)

Thank you, Jenny

From: Rowsey, Kevin < <a href="mailto:rowsey.kevin@epa.gov">rowsey.kevin@epa.gov</a> Sent: Monday, November 25, 2019 3:07 PM

To: Wilson, Jennifer <wilson.jenniferA@epa.gov>; Reinhart, Roger <Reinhart.Roger@epa.gov>

Subject: RE: Discuss DuPont

Sensitivity: Private

### Ex. 5 Deliberative Process (DP)

Kevin Rowsey

Source Water & UIC Section Water Division U.S. EPA Region III 1650 Arch Street Philadelphia, PA 19103 Phone: 215.814.5463

From: Wilson, Jennifer

Sent: Monday, November 25, 2019 4:04 PM

To: Rowsey, Kevin <rowsey.kevin@epa.gov>; Reinhart, Roger <Reinhart.Roger@epa.gov>

Subject: RE: Discuss DuPont

Sensitivity: Private

Kevin,

# Ex. 5 Deliberative Process (DP)

Thank you, Jenny

From: Wilson, Jennifer

Sent: Monday, November 25, 2019 2:19 PM

To: Rowsey, Kevin < rowsey.kevin@epa.gov >; Reinhart, Roger < Reinhart.Roger@epa.gov >

Subject: FW: Discuss DuPont

Sensitivity: Private

Enforcement confidential and deliberative. Don't release this for FOIAs or discovery.

Hi Kevin and Roger,

## Ex. 5 Deliberative Process (DP)

Thank you, Jenny

From: Jeffrey.Patzke@epa.ohio.gov < Jeffrey.Patzke@epa.ohio.gov>

**Sent:** Monday, November 25, 2019 2:05 PM **To:** Wilson, Jennifer < wilson, jennifer A@epa.gov>

Subject: RE: Discuss DuPont

Sensitivity: Private

Hi Jennifer,

## Ex. 5 Deliberative Process (DP)

Talk to you tomorrow.

Thanks,

Jeff

#### Jeff Patzke

Manager, Water Quality Characterization and Protection Section Ohio EPA-Division of Drinking and Ground Waters 50 West Town Street, Suite 700 Columbus, Ohio 43215

Office: 614-644-3029 Fax: 614-644-2909

----Original Appointment-----

From: Wilson, Jennifer <wilson.jenniferA@epa.gov>

Sent: Tuesday, November 19, 2019 4:50 PM

To: Wilson, Jennifer; Reinhart, Roger; Rowsey, Kevin; Meredith Vance; Patel, Yogesh P; Patzke, Jeffrey;

Amy.Klei@epa.ohio.gov; beth.messer@epa.ohio.gov; Ann.Fischbein@epa.ohio.gov; Janet.Barth@epa.ohio.gov;

stephen.churchill@epa.ohio.gov; Michael.Proffitt@epa.ohio.gov; colin.bennett@epa.ohio.gov; Emilie.Eskridge@epa.ohio.gov; R5WD-ConfCallLineD-2029910477 Code-8306729

Subject: Discuss DuPont

When: Tuesday, November 26, 2019 3:00 PM-4:00 PM (UTC-06:00) Central Time (US & Canada).

Where: R5Metcalfe-ConfRm-R1715/R5-Metcalfe---17th-Floor

Sensitivity: Private

Hi Everyone,

### Ex. 6 Personal Privacy (PP)

Please e-mail me agenda items.

Thank you, Jenny

This email is intended for the sole use of the intended recipient and may contain privileged, sensitive or protected information. If you are not the intended recipient, be advised that the unauthorized use, disclosure, copying, distribution, or action taken in reliance on the contents of this communication is prohibited. If you have received this email in error, please notify the sender via telephone or return email and immediately delete this email.